

ERGOCUT S 65





CE EN60974-7



CODE	↔		
PAS406M-000-BA3	6 m	19.7'	1/4 GAS
PAS406M-004-BA3	6 m	19.7'	CENTRAL
PAS406M-304-BA3	6 m	19.7'	TRAFIMECTOR®

TECHNICAL DATA		
	NO HF	
	0,4 kg	0,88 lb
	500	
	4 bar	
	100 l/min	
	60A	
	8÷20 mm	



	CODE		Ø		CONTACT		DRAG		GOUGING	REF	
1	CV0299										2
1	CV1118		plasma stand off guide		25,5 mm						2
2	PC0098				29 mm						2
2	PC0198				29 mm						2
3	PD0098-08		40 A	0,8 mm	.030"	17,7 mm					10
3	PD0098-10		60 A	1,0 mm	.040"	17,7 mm					10
3	PD0199-16		gouging	1,6 mm	1/16"	17,7 mm				-	10
4	PE0106		plasma diffuser							-	2
5	PR0098		plasma electrode		24,8 mm						10

	CODE	
7	EA0330	
7	PF0128	plasma torch head
8	TP0400	kit trigger
9	TP0401	handle kit

	CODE	
10	PH4127	6 m - 1/4 G
11	FY0023	central adaptor
12	FY0090	TRAFIMECTOR®

STANDARD

CONTACT SHORT CONTACT LONG DRAG SHORT DRAG LONG

ERGOCUT S 65 DRAG





CE EN60974-7



CODE	↔		
PAS406D-000-BA3	6 m	19.7'	1/4 GAS
PAS406D-004-BA3	6 m	19.7'	CENTRAL
PAS406D-304-BA3	6 m	19.7'	TRAFIMECTOR®

TECHNICAL DATA		
	NO HF	
	0,4 kg	0,88 lb
	500	
	4 bar	
	100 l/min	
	60A	
	8÷20 mm	



	CODE		Ø		CONTACT		DRAG		GOUGING	REF		
1	CV0298		plasma stand off guide		37,9 mm						2	
2	PC0198				29 mm						2	
3	PD0198-08		40 A	0,8 mm	.030"	18 mm					-	10
3	PD0198-10		60 A	1,0 mm	.040"	18 mm					-	10
4	PE0106		plasma diffuser								-	2
5	PR0106		plasma electrode		30,5 mm							10

	CODE	
7	PF0128	
8	BW0906	
9	TP0200	

	CODE	
10	PH4127	
11	FY0023	
12	FY0090	

STANDARD

CONTACT SHORT

CONTACT LONG

DRAG SHORT

DRAG LONG